ISOPROPANOL 70% BLEND

Page: 1

Compilation date: 17/10/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ISOPROPANOL 70% BLEND

CAS number: 67-63-0

EINECS number: 200-661-7

Product code: GPS8059

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals.

1.3. Details of the supplier of the safety data sheet

Select School Supplies The Old Granary Berghill House Oswestry SY11 4PD 01691 770366 sales@selectschoolsupplies.co.uk



2.1. Classification of the substance or mixture		
Classification under CLP:	Eye Irrit. 2: H319; STOT SE 3: H336	
Classification under CHIP:	Xi: R36; -: R67	
Most important adverse effects:	Causes serious eye irritation. May cause drowsiness or dizziness.	
2.2. Label elements		
Label elements under CLP:		
Hazard statements:	H319: Causes serious eye irritation.	
	H336: May cause drowsiness or dizziness.	
Signal words:	Warning	
Hazard pictograms:	GHS07: Exclamation mark	
	GHS02: Flame	

ISOPROPANOL 70% BLEND

Precautionary statements:P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.P271: Use only outdoors or in a well-ventilated area.P280: Wear protective gloves/protective clothing/eye protection/face protection.P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a positioncomfortable for breathing.P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Removecontact lenses, if present and easy to do. Continue rinsing.P312: Call a POISON CENTER or doctor if you feel unwell.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	50-70%

Section 4: First aid measures

4.1. Description of first aid measures			
Skin contact:	Wash immediately with plenty of soap and water.		
Eye contact:	Bathe the eye with running water for 15 minutes.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water		
	to drink immediately. Consult a doctor.		
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a		
	doctor.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact: There may be mild irritation at the site of contact.			
Eye contact:	There may be irritation and redness.		
Ingestion:	There may be soreness and redness of the mouth and throat. Inhalation of fumes from		
	the stomach may cause symptoms similar to direct inhalation.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness		
	or mental confusion may occur.		

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

ISOPROPANOL 70% BLEND

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. If outside keep bystanders upwind and away from danger point.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

ISOPROPANOL 70% BLEND

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

Respirable dust

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Page: 4

ISOPROPANOL 70% BLEND

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be soreness and redness of the mouth and throat. Inhalation of fumes from
	the stomach may cause symptoms similar to direct inhalation.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness
	or mental confusion may occur.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

ISOPROPANOL 70% BLEND

Page: 6

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1219

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: 2

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This safety datasheet complies with the requirements of Regulation (EC) No.

1907/2006.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	n: This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and 3:	H225: Highly flammable liquid and vapour.	
	H319: Causes serious eye irritation.	
	H336: May cause drowsiness or dizziness.	
	R36: Irritating to eyes.	
	R67: Vapours may cause drowsiness and dizziness.	[cont]

ISOPROPANOL 70% BLEND

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.