COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 1

Compilation date: 21/11/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: COBALT (II) NITRATE HEXAHYDRATE 98%

CAS number: 10026-22-9 **EINECS number:** 233-402-1 **Product code:** GPC1668

Synonyms: COBALTOUS NITRATE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals.

1.3. Details of the supplier of the safety data sheet

Select School Supplies The Old Granary Berghill House Oswestry SY11 4PD 01691 770366

sales@selectschoolsupplies.co.uk



Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Ox. Sol. 2: H272; Acute Tox. 4: H302+332; Resp. Sens. 1: H334; Skin Sens. 1: H317;

Muta. 2: H341; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Repr. 1B: H360F; Carc. 1B:

H350; Aquatic Acute 1: H400; Carc. 1Ai: H350i

Classification under CHIP: T: R49; Xn: R68; T: R60; Sens.: R42/43; N: R50/53

Most important adverse effects: May intensify fire; oxidiser. Harmful if swallowed or if inhaled. May cause an allergic skin

reaction. Causes serious eye damage. May cause allergy or asthma symptoms or

breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer

by inhalation. May damage fertility. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements under CLP:

Hazard statements: H272: May intensify fire; oxidiser.

H302+332: Harmful if swallowed or if inhaled.

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 2

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341: Suspected of causing genetic defects.

H350i: May cause cancer by inhalation.

H360F: May damage fertility.

H410: Very toxic to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS03: Flame over circle

GHS07: Exclamation mark GHS08: Health hazard

GHS09: Environmental

GHS05: Corrosion











Precautionary statements: P201: Obtain special instructions before use.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P220: Keep/Store away from clothing/combustible materials.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor.

P308+313: IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

Other hazards: This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher. Restricted to professional users.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: COBALT (II) NITRATE HEXAHYDRATE 98%

CAS number: 10026-22-9 **EINECS number:** 233-402-1

Contains: Molecular Formula: CoN2O6 · 6H2O

Molecular Weight: 291.03 g/mol

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 3

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Consult a doctor. **Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water.

Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. If unconscious, check for

breathing and apply artificial respiration if necessary. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Dry chemical powder. Dry sand.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Not applicable.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see

section 8.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Contain spillage, and then collect with an electrically protected vacuum cleaner or by

wet-brushing and place in container for disposal according to local regulations (see

section 13). Keep in suitable, closed containers for disposal.

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Use non-sparking tools. Smoking is forbidden. Avoid contact with skin and eyes. Avoid

formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions

see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Not applicable.

7.3. Specific end use(s)

Specific end use(s): No special requirement.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.1 mg/m3	-	-	-

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face

particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under

appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection: Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 5

Break through time: 480 min Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Eye protection: Face-shield. Safety glasses. Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Complete suit protecting against chemicals. The type of protective equipment must be

selected according to the concentration and amount of the dangerous substance at the

specific workplace.

Environmental: Do not let product enter drains. Prevent from entering in public sewers or the immediate

environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Crystalline

Colour: Red

Melting point/range°C: 55 Relative density: 1.88 g/cm3

pH: 4.0 at 100g/l

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No data available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

10.4. Conditions to avoid

Conditions to avoid: Heat. Exposure to moisture may affect product quality.

10.5. Incompatible materials

Materials to avoid: Organic materials. Reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of nitrogen oxides and cobalt/ cobalt oxides.

Section 11: Toxicological information

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 6

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	691	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH ING	Based on test data
Serious eye damage/irritation	OPT	Based on test data
Respiratory/skin sensitisation	INH DRM	Based on test data
Germ cell mutagenicity		Based on test data
Carcinogenicity		Based on test data
Reproductive toxicity	-	Based on test data

Symptoms / routes of exposure

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Very toxic to aquatic organisms.

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 7

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Offer surplus and non-recyclable solutions to a licensed disposal company. Waste

material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No

mixing with other waste.

Handle uncleaned containers like the product itself.

Recovery operations: Not applicable.

Disposal of packaging: Dispose of as unused product.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1477

14.2. UN proper shipping name

Shipping name: ADR/RID: NITRATES, INORGANIC, N.O.S. (Cobaltous nitrate, hexahydrate)

IMDG: NITRATES, INORGANIC, N.O.S. (Cobaltous nitrate, hexahydrate)

IATA: Nitrates, inorganic, n.o.s.

14.3. Transport hazard class(es)

Transport class: 5.1

14.4. Packing group

Packing group: 2

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This safety datasheet complies with the requirements of Regulation (EC) No.

1907/2006.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

COBALT (II) NITRATE HEXAHYDRATE 98%

Page: 8

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H272: May intensify fire; oxidiser.

H302+332: Harmful if swallowed or if inhaled.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341: Suspected of causing genetic defects <state route of exposure if it is conclusively

proven that no other routes of exposure cause the hazard>.

H350i: May cause cancer by inhalation.

H360F: May damage fertility.

H410: Very toxic to aquatic life with long lasting effects.

R42/43: May cause sensitisation by inhalation and skin contact.

R49: May cause cancer by inhalation.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R60: May impair fertility.

R68: Possible risk of irreversible effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.