

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

**Page:** 1  
**Compilation date:** 20/03/2019  
**Revision No:** 1

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** LEAD METAL GRANULAR 99.5%  
**CAS number:** 7439-92-1  
**EINECS number:** 231-100-4  
**Product code:** GPC5524

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC21: Laboratory chemicals.

**1.3. Details of the supplier of the safety data sheet**

Select School Supplies  
The Old Granary  
Berghill House  
Oswestry  
SY11 4PD  
01691 770366  
sales@selectschoolsupplies.co.uk



**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Acute Tox. 4: H302+332; Carc. 2: H351; Repr. 1A: H360Df; STOT RE 2: H373; Aquatic Chronic 1: H410; Aquatic Acute 1: H400

**Most important adverse effects:** Harmful if swallowed or if inhaled. Suspected of causing cancer. May damage the unborn child. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

**2.2. Label elements**

**Label elements under CLP:**

**Hazard statements:** H302+332: Harmful if swallowed or if inhaled.  
H351: Suspected of causing cancer.  
H360Df: May damage the unborn child. Suspected of damaging fertility.  
H373: May cause damage to organs through prolonged or repeated exposure.  
H410: Very toxic to aquatic life with long lasting effects.

**Signal words:** Danger

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

Page: 2

**Hazard pictograms:** GHS08: Health hazard  
GHS07: Exclamation mark  
GHS09: Environmental



**Precautionary statements:** P201: Obtain special instructions before use.  
P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.  
P273: Avoid release to the environment.  
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P312: Call a POISON CENTER or doctor if you feel unwell.  
P308+313: IF exposed or concerned: Get medical advice/attention.  
P391: Collect spillage.

### 2.3. Other hazards

**Other hazards:** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.1. Substances

**Chemical identity:** LEAD METAL GRANULAR 99.5%  
**CAS number:** 7439-92-1  
**EINECS number:** 231-100-4  
**Contains:** Formula : Pb  
Molecular weight : 207.20 g/mol

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Consult a doctor.  
**Eye contact:** Flush eyes with water as a precaution.  
**Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Consult a doctor.  
**Inhalation:** Move to fresh air in case of accidental inhalation of vapours. If unconscious, check for breathing and apply artificial respiration if necessary. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** No data available.  
**Eye contact:** No data available.

[cont...]

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

Page: 3

**Ingestion:** No data available.

**Inhalation:** No data available.

**Delayed / immediate effects:** No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** No data available.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** Not applicable.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see section 8.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 13 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Not applicable.

[cont...]

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

Page: 4

**7.3. Specific end use(s)**

**Specific end use(s):** No special requirement.

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.15mg/m <sup>3</sup>	-	-	-

**8.1. DNEL/PNEC Values**

**DNEL / PNEC** No data available.

**8.2. Exposure controls**

**Engineering measures:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Respiratory protection:** Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Hand protection:** Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

**Eye protection:** Safety glasses with side-shields. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection:** Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Environmental:** Do not let product enter drains. Prevent from entering in public sewers or the immediate environment.

[cont...]

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

Page: 5

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Powder

**Boiling point/range°C:** 1,740 °C - lit.

**Melting point/range°C:** 327.4 °C - lit.

**9.2. Other information**

**Other information:** Not applicable.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** No data available.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** No data available.

**10.4. Conditions to avoid**

**Conditions to avoid:** No data available.

**10.5. Incompatible materials**

**Materials to avoid:** Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes of lead oxides.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Relevant hazards for substance:**

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH ING	Based on test data
Carcinogenicity	--	Based on test data
Reproductive toxicity	--	Based on test data
STOT-repeated exposure	-	Based on test data

**Symptoms / routes of exposure**

**Skin contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

**Inhalation:** No data available.

**Delayed / immediate effects:** No data available.

[cont...]

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

Page: 6

**Other information:** Not applicable.

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:**

Species	Test	Value	Units
FISH	96H LC50	2.2	mg/l
ALGAE	48H EC50	7.94	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** No data available.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No data available.

**12.4. Mobility in soil**

**Mobility:** No data available.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Very toxic to aquatic organisms.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Recovery operations:** Not applicable.

**Disposal of packaging:** Dispose of as unused product.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**14.1. UN number**

**UN number:** UN3077

**14.2. UN proper shipping name**

**Shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**14.3. Transport hazard class(es)**

**Transport class:** 9

[cont...]

**SAFETY DATA SHEET**  
LEAD METAL GRANULAR 99.5%

Page: 7

**14.4. Packing group**

**Packing group:** III

**14.5. Environmental hazards**

**Environmentally hazardous:** Yes

**Marine pollutant:** Yes

**14.6. Special precautions for user**

**Special precautions:** No special precautions.

**Tunnel code:** E

**Transport category:** 3

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** H302+332: Harmful if swallowed or if inhaled.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H360Df: May damage the unborn child. Suspected of damaging fertility.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.